

Safety Data Sheet Forest Oud and Balsam

May 3, 2022

Section 1: Chemical Product and Company Identification

Product name:	Forest Oud & Balsam
Contact Info:	Bramble Berry Inc.
	2138 Humboldt Street
	Bellingham, WA 98225
	info@brambleberry.com
	www.brambleberry.com
	1-877-627-7883
Emergency Phone Number:	
	Within USA & Canada: 1.800.424.9300 CCN693143
	Outside USA & Canada: +1.703.527.3887 (collect calls accepted)

Section 2: Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400 : Very toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200	of title 29)
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Classification Other	
Carcinogenicity	Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []
2.2 Label elements Labelling (GHS)	



Hazard pictograms



Signal Word: Warning Hazard statements

H303 May be harmful if swallowed H315 Causes skin irritation H317 May cause an allergic skin reaction H33 May be harmful if inhaled H400 Very toxic to aquatic life H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264 Wash hands thoroughly after handling P272 Contaminated work clothing should not be allowed out of the workplace P273 Avoid release to the environment

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect spillage
2.3 Other Hazards	
no data available	

Section 3: Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of

Chemicals (GHS):



CAS#	EC#	Conc.	GHS Classification
Ingredient		Range	
120-51-4	204-402-9	10 - 20 %	H302; H313; H400; H411
Benzyl Benzoate			
54464-57-2	259-174-3	10-20%	H315; H317; H400; H410
Tetramethyl Acetyloctahydronaphthalenes			
24851-98-7	246-495-9	2 – 5%	H402
Methyldihydrojasmonate			
111879-80-2	422-320-3	1-5%	H400; H411
Oxacyclohexadec-12-en-2-one, (12E)-			
32388-55-9	251-020-3	2 – 5%	H303; H317; H400; H410
Acetyl cedrene			
139504-68-0	412-300-2	1-2%	H320; H401; H411
1-(2-Butyl cyclohexyloxy)-2-butanol			
58567-11-6	261-332-1	1-2%	H315; H317; H401; H411
Formaldehyde cyclododecyl ethyl acetal			
33704-61-9	227-813-5	1-2%	H303; H315; H317; H319; H401; H411
6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-			
indanone (Cashmeran)			
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412
Limonene			
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402
Linalyl Acetate			
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
Linalool			
80-56-8	201-291-9	0.1 - 1.0%	H226; H302; H304; H315; H317; H400;
Pinene			H410
91-64-5	202-086-7	0.1 - 1.0%	H302; H317; H402
Coumarin			
127-51-5	204-846-3	0.1 - 1.0%	H316; H317; H320; H401; H411
a-Isomethyl ionone			
106-24-1	203-377-1	0.1 - 1.0%	H303; H315; H317; H318; H402
Geraniol			
97-53-0	202-589-1	0.1 - 1.0%	H303; H316; H317; H319; H401
Eugenol			
15764-04-2	239-855-1	0.1 - 1.0%	H317
alpha-Vetivone			
18444-79-6		0.1 - 1.0%	H317
Spiro[4.5]dec-6-en-8-one, 6,10-dimethyl-			
2-(1-methylethylidene)-, (5r-Cis)-			
5462-06-6	226-749-5	0.1 - 1.0 %	H303; H317; H401
4-Methoxy-alpha-methylbenzenepropanal			

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 1.65

Section 4: First Aid Measures



4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice. Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed Treatment: Refer to Section 2.2 "Response"

Section 5: Fire-Fighting Measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam Unsuitable: Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

Section 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable



Section 7: Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

Section 8: Exposure Controls/Personal Protection

8.1 Control pa	arameters				
Component		ACGIH	ACGIH	OSHA	OSHA
		TWAppm	STEL ppm	TWA ppm	STIEL ppm
80-56-8	pinene	20			

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

Section 9: Physical and Chemical Properties

- 9.1 Information on basic physical and chemical properties
- Appearance: Liquid
- Odor: Conforms to Standard
- Color: Conforms to Standard
- Viscosity: Liquid
- Freezing Point: Not determined
- Boiling Point: Not determined
- Melting Point: Not determined
- Flashpoint (CCCFP): >200 F (93.33 C)
- Auto flammability: Not determined
- Explosive Properties: None Expected



Oxidizing properties: None Expected Vapor Pressure (mmHg@20 C): 0.0186 %VOC: 1.33 Specific Gravity @ 25 C: Not determined Density @ 25 C: Not determined Refractive Index @ 20 C: Not determined Soluble in: Oil

Section 10: Stability and Reactivity

Reactivity
Chemical stability
Possibility of hazardous reactions
Conditions to avoid
Incompatible materials
Hazardous decomposition products

None Stable None known None known Strong oxidizing agents, strong acids, and alkalis None known

Section 11: Toxicological Information

11.1 Toxicological Effects Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3608.3863) May be harmful if swallowed Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 163.4205) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

Section 12: Ecological Information

12.1 Toxicity
Acute acquatic toxicity
Chronic acquatic toxicity
Toxicity Data on soil
Toxicity on other organisms

Very Toxic to aquatic life Toxic to aquatic life with long lasting effects no data available no data available



12.2 Persistence and degradability:12.3 Bioaccumulative potential:12.4 Mobility in soil:

12.5 Other adverse effects:

No data available. No data available. No data available. No data available.

Section 13: Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

Section 14: Transport Information

Regulator	Class	Pack	Sub Risk	UN-nr.	
		Group			
U.S. DOT (Non-Bulk)	Not Regulated - Not Dar	Not Regulated - Not Dangerous Goods			
Chemicals NOI					
ADR/RID (International Road/Rail)	9	111		UN3082	
Chemicals NOI					
IATA (Air Cargo)	9	111		UN3082	
Chemicals NOI					
IMDG (Sea)	9	111		UN3082	
Chemicals NOI					

Section 15: Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt. **40 CFR (EPCRA, SARA, CERCLA and CAA):** This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning: This product contains the following components: 123-35-3(NFS) 204-622-5 0.1 - 1.0 % beta-Myrcene (Natural Source) 93-15-2 (NFS) 202-223-0 <= 2 ppm Methyl Eugenol (Natural Source)

Canadian Regulations:

DSL / NDSL: 97.00% of the components are listed or exempt. The following components are NOT on the List: 111879-80-2 422-320-3 2 - 5 % Oxacyclohexadec-12-en-2-one, (12E)-

Section 16: Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour

H227 : Combustible liquid



H302 : Harmful if swallowed
H313 : May be harmful in contact with skin
H317 : May cause an allergic skin reaction
H319 : Causes serious eye irritation
H401 : Toxic to aquatic life
H410 : Very toxic to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk
(83.03) Aquatic Chronic Toxicity, Category 3
Sensitization, Skin, Category 1B
(1.79) Skin Corrosion/Irritation, Category 3
(1.67) Aquatic Chronic Toxicity, Category 4
(1.39) Acute Toxicity Oral, Category 5

H304 : May be fatal if swallowed and enters airways
H316 : Causes mild skin irritation
H318 : Causes serious eye damage
H320 : Causes eye irritation
H402 : Harmful to aquatic life
H412 : Harmful to aquatic life with long lasting effects

(TFV) Risk

(30.60) Acute Toxicity Inhalation, Category 5 (12.00)
(8.30) Aquatic Chronic Toxicity, Category 2
(1.74) Skin Corrosion/Irritation, Category 2
(1.48) Aquatic Acute Toxicity, Category 1

The information in this publication is believed to be accurate and is given in good faith, but no representation of warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions. Users are responsible for determining the suitability of these products for their own particular purpose. No representing of warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties or merchantability, fitness for a particular purpose, non-fringement of any third party patent or other intellectual property rights including, without limit, copyright, trademark and design.